

DUKOLL™

Bonding your roots

TILE CLEANER

- ✦ REMOVE STAINS
- ✦ MAINTAINS BEAUTY OF TILE
- ✦ CAN BE DILUTED IN WATER
- ✦ RAPID ACTION TILE & CERAMIC CLEANER



+91 7600 27 7601



info@dukoll.in



www.dukoll.in

DESCRIPTION

A powerful, heavy duty, acid - based cleaner for ceramic tiled floors and walls. TILE CLEANER is designed for removal of cement film residues, efflorescence and most oxide stains. It may also be used as general purpose cleaner on other acid resistant surface.

Note: Do not use on surfaces that are not resistant to acid such as marble/terrazzo.

USES

TILE CLEANER is used for interior and exterior ceramic tiled floors and walls.

FEATURES

- Powerful formula
- Fast acting
- Easy to apply
- Removes cement film
- Removes residues, efflorescence and most oxide stains

RECOMMENDED SURFACES

Glazed Floor Tile	✓ (1)
Unglazed Floor Tile	✓ (1) (2)
Quarry	✓ (1) (2)
Stone	✓ (1) (2)
Slate	✓ (1) (2)
Brick	✓ (1) (2)
Terracotta	✓ (1) (2)

NOTE:

✓ = Suitable

1. Dilute as necessary
2. Pre-wet surface prior to application to reduce absorption

VOC Content 60.59 g/l

PACK SIZE

1 & 5 litres

INSTRUCTIONS FOR USE

- Dilute to the correct ratios as required: Light

cleaning on glazed and unglazed tiles, bricks, slate, stones and quarry tiles use 1 part TILE CLEANER to 4 parts clean water. Heavily soiled areas may require an undiluted solution to be applied.

Note: Always test initially on a small inconspicuous area. Dilution ratio may be increased or decreased as per nature of stone/substrate.

- Liberally apply the solution to the floor area to be cleaned. Leave in contact with the area approx. 1-2 minutes. Using a stiff bristled brush or a scouring pad, thoroughly scrub the area treated with the solution.
- Mop up the solution and rinse well with water up to 3 - 4 times until all traces of the solution have been removed.
- Heavily soiled areas may require subsequent applications of TILE CLEANER.
- Do not use on new areas until the adhesive and grout are fully cured.
- Immediately clean accidental spillages by washing thoroughly with plenty of water.

LIMITATION

- May discolour tiles/stones not resistant to acid.
- Not effective against acrylic/solvent stains.
- Do not use on highly porous stone/tiles that are not resistant to acid.

STORAGE AND SHELF LIFE

TILE CLEANER has a shelf life of 24 months in original unopened container. Store in dry conditions between 5°C and 30°C, protect from direct sunlight.

PRECAUTIONS

Keep out of reach of children. Wear suitable protective clothing, gloves and eyes/face protection. After contact with skin, wash immediately with plenty of clean water. In case of contact with eyes rinse immediately with plenty of clean water and seek medical advice.

DISPOSAL/SPILLAGE

Spillage of any of the TILE CLEANER should be removed with plenty of water. Disposal of such material or empty packaging should be in accordance with local waste disposal authority regulations.

For further information please refer to the Material Safety Data Sheet.

CONDITIONS OF SALE

Sold subject to the Company's conditions of sale which are available on request.

NOTE

The information supplied in this datasheet is based upon extensive experience and is given in good faith in order to help you. Our Company policy is one of continuous Research and Development; we therefore reserve the right to update this information at any time without prior notice. We also guarantee the consistent high quality of our products; however as we have no control over site conditions or the execution of the work, we accept no liability for any loss or damage which may arise as a result thereof.



DUKOLL™

Bonding your roots

CORPORATE OFFICE :- 205, DEVARC MALL, ISCON CROSS ROAD, S.G. HIGHWAY, AHMEDABAD - 380055, GUJARAT, INDIA
FACTORY :- SR.NO. 1524, SABARDAIRY- GADHODA ROAD, HIMATNAGAR, S.K.-383001, GUJARAT, INDIA

 +91 7600 27 7601

 info@dukoll.in



www.dukoll.in

FOLLOW US:  /dukoll_adhesive  /dukolladhesive  /company/dukoll  @DukollTileAdhesive

AVAILABLE ON:

